

report\_xml.txt

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="report.xsl"?>
<rp:report xmlns:rp="http://www.utj.co.jp/namespaces/report"
xmlns:pi="http://www.utj.co.jp/namespaces/personal-info"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.utj.co.jp/namespaces/report report.xsd"
>
<rp:title>Conference Report</rp:title>
<rp:p>The "Asian IT Standardization Workshop" was successful. It was so fruitful.
Attendees from Japan were as follows.</rp:p>
<pi:personal-info>
<pi:person>
<pi:name>Dr. Yushi Komachi</pi:name>
<pi:organization>Panasonic Communications</pi:organization>
</pi:person>
<pi:person>
<pi:name>Keisuke Kamimura</pi:name>
<pi:organization>GLOCOM</pi:organization>
</pi:person>
<pi:person>
<pi:name>Takayuki Sato</pi:name>
<pi:organization>CICC</pi:organization>
</pi:person>
<pi:person>
<pi:name>Hiroko Shirakura</pi:name>
<pi:organization>CICC</pi:organization>
</pi:person>
</pi:personal-info>
</rp:report>
```